Washington Behavioral Risk Factor Surveillance System 2003 Tobacco Survey Results

Pend Oreille County

What is your age?	n	= 197
18 - 34	15.9%	(± 6.2%)
35 - 54	44.4	(± 7.7)
55 - 74	31.5	(± 7.0)
75+	8.3	(± 3.9)
Gender	n	= 197
Male	51.2%	(± 7.6%)
Female	48.8	(± 7.6)
Which one of these groups would you say best represents your race	n	= 196
White	94.8%	(± 3.7%)
Black or African American	0.5	(± 0.9)
Asian	1.0	(± 2.0)
Native Hawaiian or Other Pacific Islander	1.6	(± 1.7)
American Indian, Alaska Native	2.1	(± 2.6)
Other race	0.0	(± 0.0)
No preferred race	0.0	(± 0.0)
Are you Hispanic or Latino/Latina?	n	= 196
Yes	3.2%	(± 3.0%)
No	96.8	(± 3.0)
Marital status	n	= 196
Marital status Married	62.5%	= 196 (± 7.3%)
Married Divorced	62.5% 18.0	(± 7.3%) (± 5.9)
Married Divorced Widowed	62.5% 18.0 7.3	(± 7.3%) (± 5.9) (± 2.9)
Married Divorced Widowed Separated	62.5% 18.0 7.3 2.0	(± 7.3%) (± 5.9) (± 2.9) (± 1.8)
Married Divorced Widowed Separated Never been married	62.5% 18.0 7.3 2.0 8.7	(± 7.3%) (± 5.9) (± 2.9) (± 1.8) (± 4.5)
Married Divorced Widowed Separated	62.5% 18.0 7.3 2.0	(± 7.3%) (± 5.9) (± 2.9) (± 1.8)
Married Divorced Widowed Separated Never been married	62.5% 18.0 7.3 2.0 8.7 1.6	(± 7.3%) (± 5.9) (± 2.9) (± 1.8) (± 4.5)
Married Divorced Widowed Separated Never been married Or a member of an unmarried couple	62.5% 18.0 7.3 2.0 8.7 1.6	(± 7.3%) (± 5.9) (± 2.9) (± 1.8) (± 4.5) (± 1.9)
Married Divorced Widowed Separated Never been married Or a member of an unmarried couple How many children less than 18 years of age live in your household? None 1	62.5% 18.0 7.3 2.0 8.7 1.6 n 67.3% 9.1	(± 7.3%) (± 5.9) (± 2.9) (± 1.8) (± 4.5) (± 1.9) = 197 (± 7.4%) (± 4.7)
Married Divorced Widowed Separated Never been married Or a member of an unmarried couple How many children less than 18 years of age live in your household? None 1 2	62.5% 18.0 7.3 2.0 8.7 1.6 n 67.3% 9.1 14.1	(± 7.3%) (± 5.9) (± 2.9) (± 1.8) (± 4.5) (± 1.9) = 197 (± 7.4%) (± 4.7) (± 5.5)
Married Divorced Widowed Separated Never been married Or a member of an unmarried couple How many children less than 18 years of age live in your household? None 1	62.5% 18.0 7.3 2.0 8.7 1.6 n 67.3% 9.1	(± 7.3%) (± 5.9) (± 2.9) (± 1.8) (± 4.5) (± 1.9) = 197 (± 7.4%) (± 4.7)
Married Divorced Widowed Separated Never been married Or a member of an unmarried couple How many children less than 18 years of age live in your household? None 1 2	62.5% 18.0 7.3 2.0 8.7 1.6 n 67.3% 9.1 14.1 9.4	(± 7.3%) (± 5.9) (± 2.9) (± 1.8) (± 4.5) (± 1.9) = 197 (± 7.4%) (± 4.7) (± 5.5)
Married Divorced Widowed Separated Never been married Or a member of an unmarried couple How many children less than 18 years of age live in your household? None 1 2 3 or more What is the highest grade or year of school you completed? Some high school or less	62.5% 18.0 7.3 2.0 8.7 1.6 n 67.3% 9.1 14.1 9.4	(± 7.3%) (± 5.9) (± 2.9) (± 1.8) (± 4.5) (± 1.9) = 197 (± 7.4%) (± 4.7) (± 5.5) (± 4.7) = 197 (± 5.2%)
Married Divorced Widowed Separated Never been married Or a member of an unmarried couple How many children less than 18 years of age live in your household? None 1 2 3 or more What is the highest grade or year of school you completed? Some high school or less High school graduate or GED	62.5% 18.0 7.3 2.0 8.7 1.6 n 67.3% 9.1 14.1 9.4 n 10.7% 31.3	(± 7.3%) (± 5.9) (± 2.9) (± 1.8) (± 4.5) (± 1.9) = 197 (± 7.4%) (± 4.7) (± 5.5) (± 4.7) = 197 (± 5.2%) (± 7.2)
Married Divorced Widowed Separated Never been married Or a member of an unmarried couple How many children less than 18 years of age live in your household? None 1 2 3 or more What is the highest grade or year of school you completed? Some high school or less High school graduate or GED Some college or technical school	62.5% 18.0 7.3 2.0 8.7 1.6 n 67.3% 9.1 14.1 9.4 n 10.7% 31.3 37.6	(± 7.3%) (± 5.9) (± 2.9) (± 1.8) (± 4.5) (± 1.9) = 197 (± 7.4%) (± 4.7) (± 5.5) (± 4.7) = 197 (± 5.2%) (± 7.2) (± 7.6)
Married Divorced Widowed Separated Never been married Or a member of an unmarried couple How many children less than 18 years of age live in your household? None 1 2 3 or more What is the highest grade or year of school you completed? Some high school or less High school graduate or GED	62.5% 18.0 7.3 2.0 8.7 1.6 n 67.3% 9.1 14.1 9.4 n 10.7% 31.3	(± 7.3%) (± 5.9) (± 2.9) (± 1.8) (± 4.5) (± 1.9) = 197 (± 7.4%) (± 4.7) (± 5.5) (± 4.7) = 197 (± 5.2%) (± 7.2)
Married Divorced Widowed Separated Never been married Or a member of an unmarried couple How many children less than 18 years of age live in your household? None 1 2 3 or more What is the highest grade or year of school you completed? Some high school or less High school graduate or GED Some college or technical school	62.5% 18.0 7.3 2.0 8.7 1.6 n 67.3% 9.1 14.1 9.4 n 10.7% 31.3 37.6	(± 7.3%) (± 5.9) (± 2.9) (± 1.8) (± 4.5) (± 1.9) = 197 (± 7.4%) (± 4.7) (± 5.5) (± 4.7) = 197 (± 5.2%) (± 7.2) (± 7.6) (± 5.8)
Married Divorced Widowed Separated Never been married Or a member of an unmarried couple How many children less than 18 years of age live in your household? None 1 2 3 or more What is the highest grade or year of school you completed? Some high school or less High school graduate or GED Some college or technical school College graduate or more	62.5% 18.0 7.3 2.0 8.7 1.6 n 67.3% 9.1 14.1 9.4 n 10.7% 31.3 37.6	(± 7.3%) (± 5.9) (± 2.9) (± 1.8) (± 4.5) (± 1.9) = 197 (± 7.4%) (± 4.7) (± 5.5) (± 4.7) = 197 (± 5.2%) (± 7.2) (± 7.6)

Are you currently	n	= 196
Employed for wages Self-employed Out of work Homemaker	41.2% 10.0 6.9 6.4	(± 7.6%) (± 4.9) (± 4.4) (± 3.6)
Student Retired Or unable to work	0.4 0.7 24.4 10.4	(± 1.4)
Annual household income from all sources		= 181
Less than \$20,000 \$20,000 to less than \$50,000 \$50,000 or more	26.7% 48.6 24.6	(± 7.2%) (± 8.1) (± 6.6)
Have you smoked at least 100 cigarettes in your entire life?	n	= 258
Yes No	59.6% 40.4	(± 7.9%) (± 7.9)
Among those that have smoked at least 100 cigarettes in their entire life: Do you now smoke cigarettes everyday, some days, or not at all?	n	= 142
Everyday Some days Not at all	40.4% 4.3 55.3	(± 13.3%) (± 3.6) (± 13.2)
Among current smokers: During the past 12 months, have you stopped smoking for 1 day or longer because you were trying to quit smoking?	e n	1 = 58
Yes	41.7%	(± 19.1%)
No	58.3	(± 19.1)
No Current cigarette smoking prevalence:		(± 19.1) = 258
		, ,
Current cigarette smoking prevalence:	n 26.6%	= 258
Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes:	n 26.6%	= 258 (± 8.9%)
Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days? Yes	n 26.6% n 44.9% 55.1	= 258 (± 8.9%) = 102 (± 10.9%)
Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days? Yes No Among those that have smoked in the past 30 days:	n 26.6% n 44.9% 55.1	= 258 (± 8.9%) = 102 (± 10.9%) (± 10.9)
Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days? Yes No Among those that have smoked in the past 30 days: On how many days of the past 30 days did you smoke cigarettes? Less than 30 days	n 26.6% n 44.9% 55.1	= 258 (± 8.9%) = 102 (± 10.9%) (± 10.9)
Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days? Yes No Among those that have smoked in the past 30 days: On how many days of the past 30 days did you smoke cigarettes? Less than 30 days 30 days Among those that have smoked in the past 30 days: On average, about how many cigarettes per day do you smoke, on the days that	n 26.6% n 44.9% 55.1	= 258 (± 8.9%) = 102 (± 10.9%) (± 10.9)
Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days? Yes No Among those that have smoked in the past 30 days: On how many days of the past 30 days did you smoke cigarettes? Less than 30 days 30 days Among those that have smoked in the past 30 days: On average, about how many cigarettes per day do you smoke, on the days that you do smoke?	n 26.6% n 44.9% 55.1	= 258 (± 8.9%) = 102 (± 10.9%) (± 10.9) n = 45 *

Have you ever tried using smokeless tobacco, like chew, dip or snuff? Yes No	n 23.3% 76.7	,
Among those that have ever tried smokeless tobacco: On how many of the past 30 days did you use smokeless tobacco products? None	r *	ı = 37 *
Less than 30 days 30 days	*	*
Current smokeless tobacco prevalence:	n	= 193
(any use in past 30 days among the whole population)	4.4%	(± 3.0%)
Do you currently smoke tobacco in a pipe?	n	= 194
Yes No	0.0% 100.0	(± 0.0%) (± 0.0)
In the past month, have you smoked a cigar, even just a puff?	n	= 194
Yes No	2.0% 98.0	(± 2.1%) (± 2.1)
In the past month, have you smoked bidis?	n	= 194
Yes No	0.0% 100.0	(± 0.0%) (± 0.0)
In the past month, have you smoked clove cigarettes?	n	= 194
Yes No	0.6% 99.4	(± 1.2%) (± 1.2)
Current tobacco use (all types of tobacco)	n	= 194
Current daily tobacco user Current non-tobacco user	27.7% 72.3	(± 7.1%) (± 7.1)
Among former smokers: About how long has it been since you last smoked cigarettes regularly, that is, daily?	n	ı = 56
Within the past month (less than 1 month ago) Within the past 3 months (1-3 months ago) Within the past 6 months (3-6 months ago) Within the past year (6-12 months ago) Within the past 5 years (1-5 years ago) Within the past 15 years (5-15 years ago) More than 15 years ago Never used regularly	3.9% 1.6 11.6 2.3 12.5 25.1 40.6 2.3	(± 5.5%) (± 3.2) (± 12.6) (± 4.5) (± 9.2) (± 12.4) (± 14.4) (± 3.4)

A manufacture of the second se		
Among former smokers: When you last smoked cigarettes regularly, on average, how many cigarettes did	n	= 52
you smoke per day?		
Average:	21.6	(± 5.4)
Among current tobacco users:		
In the past month, did you buy tobacco on a Native American reservation?	n	= 54
Yes	2.5%	,
No	97.5	(± 4.8)
Among current tobacco users:		
In the past month, did you buy tobacco from the Internet?		= 54
Yes No	0.0% 100.0	(± 0.0%) (± 0.0)
140	100.0	(± 0.0)
Among current tobacco users:	_	_ 50
During the past month, did you buy tobacco outside the state to save money - not just because you were traveling?	n	= 53
Yes	53.0%	(± 15.5%)
No	47.0	(± 15.5)
Among current/former tobacco users:		
People close to me are/were upset by my using tobacco.	n	= 100
Strongly agree	35.6%	(± 10.4%)
Somewhat agree	23.8	,
Somewhat disagree Strongly disagree	27.3 13.3	(± 10.4) (± 6.5)
		(= 3.3)
Among current/former tobacco users: When was the last time a family member or friend advised you to quit, if ever?	n	= 102
Within the past year (1-12 months)	37.9%	(± 10.7%)
Within the past three years (1-3 years)	2.8	(± 3.3)
3 or more years ago	30.2	(± 9.9)
They never advised me to quit	29.1	(± 10.0)
Among current/former tobacco users:		
When was the last time a DOCTOR or other healthcare provider advised you to quit, if ever?	n	= 104
Within the past year (1-12 months)	22.1%	(± 9.2%)
Within the past three years (1-3 years)	5.6	(± 6.0)
3 or more years ago	14.2	(± 7.0)
They never advised me to quit	58.1	(± 10.8)

Among current/former tobacco users: When was the last time a DENTIST advised you to quit, if ever?	n	= 106
Within the past year (1-12 months) Within the past three years (1-3 years) 3 or more years ago	10.8% 1.0 9.0	(± 7.4%) (± 1.4) (± 6.5)
They never advised me to quit	79.2	(± 9.2)
Among those advised to quit: Did the health care professional who advised to quit offer any help, or refer you to	n	= 52
a source of help to quit tobacco use?	47.00/	(. 40.00()
Yes No	47.6% 52.4	(± 16.2%) (± 16.2)
Among current/former tobacco users: How many times in your life have you seriously tried to quit using tobacco?	n	= 94
0	10.1%	(± 6.8%)
1-2	51.7	(± 11.5)
3-5	19.8	(± 9.0)
6 or more	18.5	(± 8.8)
About how long has it been since you last visited a DOCTOR for a routine checkup?	n	= 189
Within the past year (1-12 months ago)	73.0%	(± 7.2%)
Within the past two years (1-2 years ago)	15.0	(± 5.7)
Within the past 3 years (2-3 years ago)	2.3	(± 2.6)
Within the past 5 years (3-5 years ago)	2.3	(± 2.5)
5 or more years ago	5.5	(± 3.5)
Never	1.9	(± 2.6)
What type of health coverage do you use to pay for most of your medical care? Is it coverage through	n	= 165
Your employer	32.4%	(± 7.8%)
Someone else's employer	12.7	(± 5.2)
A plan that you or someone buys on your own	9.9	(± 5.0)
Medicare	23.9	(± 6.9)
Medicaid or Medical Assistance	11.7	(± 6.0)
The military, CHAMPUS, or the VA The Indian Health Service	6.3 0.9	(± 4.1) (± 1.7)
Some other source	2.3	(± 3.3)
Among current and recent former smokers:		
Within the past year, have you heard about any programs in your community to help you quit using tobacco, such as classes, support groups or counseling services?	n	= 48
Yes	*	*
No Yes	*	*

Among current and recent former smokers:			
Within the past year, did you participate in any kind of program, class or group to help you quit using tobacco?		n =	47
Yes	*		*
No	*		*
Among current and recent former smokers with health care coverage:			
Does your health care insurance coverage pay for the cost of any help to quit using tobacco, such as a stop-smoking program or nicotine patches, pills or other medications?		n =	34
Yes	*		*
No	*		*
Don't know/Not sure	*		*
Among current and recent former smokers:			
During the past year, did you use nicotine patches, pills or other medication to help you quit using tobacco?		n =	48
Yes	*		*
No	*		*
Among current and recent former smokers: Have you heard about the Washington State "Quit-Line" - a telephone support service to help people quit using tobacco?		n =	47
Yes	*		*
No	*		*
Among current and recent former smokers who have heard of the "Quit-Line": Have you called the Quit line?		n =	: 21
Yes	*		*
No	*		*
Among current tobacco users: Would you like to quit using tobacco?		n =	: 50
Yes	62.7%		(± 15.6%)
No	37.3		(± 15.6)
Among current tobacco users who would like to quit: Are you seriously considering quitting tobacco use within the next 6 months?		n =	: 33
Yes	*		*
No	*		*
Among current tobacco users considering quitting within 6 months:			
Are you planning to stop within the next 30 days?		n =	: 33
Yes	*		*
No	*		*
Don't know/Not sure	*		*

Are you currently registered to vote?	n	= 193
Yes No	76.8% 23.2	(± 7.1%) (± 7.1)
Which of the following statements best describes the rules about smoking in your home	n	1 = 191
No one is allowed to smoke anywhere inside your home Smoking is allowed at some places or at some times Smoking is permitted anywhere inside your home	70.3% 13.0 16.7	(± 7.2%) (± 5.3) (± 5.9)
How many people, including you, who live in your household currently smoke cigarettes, cigars, or pipes?	n	= 194
No current smokers in household 1 2 3 or more	67.9% 20.2 8.4 3.5	(± 7.5%) (± 6.2) (± 4.9) (± 3.5)
On how many of the past 30 days has someone, including you, smoked cigarettes, cigars, or pipes anywhere inside your home?	n	= 193
None Less than 30 30 days	76.8% 9.9 13.3	(± 6.8%) (± 4.7) (± 5.6)
With a second to the second to		
If it were just up to you, would you let people smoke inside your home?	n	1 = 190
Yes No	n 20.6% 79.4	(± 6.2%) (± 6.2)
Yes	20.6% 79.4	(± 6.2%)
Yes No Among people who are currently employed for wages:	20.6% 79.4	(± 6.2%) (± 6.2)
Yes No Among people who are currently employed for wages: When you are at work, do you spend most of your time in an Office Store Restaurant or Bar Warehouse or factory Home/Someone elses home Outdoors Car or truck Classroom Hospital	20.6% 79.4 31.4% 5.5 9.4 7.1 18.5 16.7 2.8 4.0 4.1 0.5	$(\pm 6.2\%)$ (± 6.2) $n = 94$ $(\pm 10.0\%)$ (± 5.5) (± 6.0) (± 6.7) (± 7.8) (± 9.3) (± 3.4) (± 3.8) (± 3.7)

Among people who are currently employed for wages: Is smoking allowed in any of the following areas at your workplace Employee lunchrooms or lounges? Yes No	n = 9.8% 90.2	= 92 (± 7.5%) (± 7.5)
Among people who are currently employed for wages: Is smoking allowed in any of the following areas at your workplace A different designated indoor smoking area? Yes	n = 13.7%	= 92 (± 8.1%)
No Among people who are currently employed for wages: In a typical week, how many hours would you say that you are in a room or car	86.3	(± 8.1)
with secondhand smoke while you are at work? None Less than one hour One hour or more	69.3% 13.0 17.7	(± 10.7%) (± 7.7) (± 9.1)
In general, would you say that breathing secondhand smoke is	n =	191
Not at all annoying to you A little bit annoying Somewhat annoying Very annoying to you	18.3% 11.7 18.8 51.3	(± 6.1%) (± 5.2) (± 6.2) (± 7.9)
Would you say that breathing secondhand smoke is	n =	184
Not at all harmful A little bit harmful Somewhat harmful Very harmful	4.2% 7.3 24.0 64.5	(± 3.5%) (± 4.3) (± 7.1) (± 7.9)
All people should be protected from secondhand smoke.	n =	182
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	52.6% 22.5 10.7 14.2	(± 8.1%) (± 6.4) (± 5.5) (± 6.1)
All children should be protected from secondhand smoke.	n =	189
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	84.1% 7.1 5.0 3.9	(± 6.2%) (± 4.4) (± 3.8) (± 3.0)
Do you think that smoking should be completely banned in restaurants?	n = 194	
Yes No Don't know/Not sure	60.8% 36.0 3.2	(± 7.7%) (± 7.6) (± 2.6)

Estimates based on sample sizes less than 50 were omitted.

De constituir that an altinuar handling a constituir handling handling handling		400
Do you think that smoking should be completely banned in bars and lounges?		= 192
Yes	33.0%	(± 7.5%)
No .	62.3	(± 7.6)
Don't know/Not sure	4.8	(± 2.9)
Do you think that smoking should be completely banned in outdoor public areas where children may be present?	n	= 194
Yes	46.1%	(± 7.8%)
No	49.4	(± 7.8)
Don't know/Not sure	4.5	(± 3.2)
Local law enforcement officials should place a high priority on enforcing laws that ban the possession of tobacco products by minors.	n	= 189
Strongly agree	59.8%	(± 7.9%)
Somewhat agree	21.3	(± 6.6)
Somewhat disagree	13.8	(± 6.0)
Strongly disagree	5.1	(± 3.5)
The city or town where you live should establish as many strong rules and laws as possible to protect nonsmokers, including children, from secondhand smoke.	n	= 177
Strongly agree	45.3%	(± 8.0%)
Somewhat agree	28.6	(± 7.7)
Somewhat disagree	10.1	(± 5.3)
Strongly disagree	16.1	(± 6.1)
School officials should make sure that all children receive anti-tobacco education.	n	= 191
Strongly agree	76.1%	(± 6.9%)
Somewhat agree	15.5	(± 6.0)
Somewhat disagree	2.4	(± 2.5)
Strongly disagree	6.0	(± 3.7)
Tobacco use by adults should not be allowed on school grounds or at any school events.	n	= 190
Strongly agree	85.8%	(± 5.8%)
Somewhat agree	9.0	(± 4.8)
Somewhat disagree	3.2	(± 3.0)
Strongly disagree	2.0	(± 2.4)
Have you seen or heard about any efforts or activities in your community or in schools to prevent or reduce tobacco use among youth?	n	= 186
Yes	42.4%	(± 7.9%)
No	57.6	(± 7.9)
		` ,

Among people who have seen or heard of community efforts/activities: Have you participated in any efforts or activities in your community or in schools to help reduce tobacco use among youth? Yes No	n 24.7% 75.3	= 89 (± 10.4%) (± 10.4)
Among people who have seen or heard of community efforts/activities: To your knowledge, has there been a local anti-tobacco or anti-smoking organization working in your community over the past few years?		= 89
Yes No Don't know/Not sure	26.1% 54.1 19.7	(± 9.8%) (± 11.6) (± 10.1)
Among people who know of anti-tobacco organizations in their community: Do you approve of what this local organization is doing to prevent tobacco use and help people quit?	n	= 24
Definitely yes Probably yes Probably no Definitely no	* * *	* * * *
There are more negative things than positive things about smoking. Strongly agree Somewhat agree Somewhat disagree Strongly disagree	n 86.8% 11.1 1.0 1.1	= 190 (± 5.5%) (± 5.2) (± 1.2) (± 1.3)
Smoking sometimes makes a person more attractive. Strongly agree Somewhat agree Somewhat disagree Strongly disagree	n 0.5% 0.0 8.9 90.6	= 189 (± 0.7%) (± 0.0) (± 5.0) (± 5.0)
There are so many things that cause cancer, tobacco use is not going to make any difference. Strongly agree Somewhat agree Somewhat disagree Strongly disagree	n 10.1% 10.1 9.5 70.3	= 186 (± 4.8%) (± 5.5) (± 4.4) (± 7.4)
Would you ever use or wear something that has a tobacco company logo or picture on it? Yes No	n 23.7% 76.3	= 191 (± 7.2%) (± 7.2)

Do you currently have a piece of clothing, or other item that has a tobacco brand or logo on it?		n = 192
Yes No	11.8% 88.2	(± 5.6%) (± 5.6)
During the past year, have you received a free sample or coupon for a free sample of cigarettes or other tobacco products?		n = 191
Yes No	27.0% 73.0	(± 7.4%) (± 7.4)
During the past year have you been somewhere, such as concert or special event, where tobacco companies were having a promotion - for example, giving away free samples or having a special give-away?		n = 193
Yes No	7.2% 92.8	(± 4.4%) (± 4.4)
Tobacco companies should have the same rights to advertise their products as other companies.		n = 185
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	28.4% 30.4 9.4 31.9	(± 7.2%) (± 7.5) (± 4.6) (± 7.4)
Among people with children ages 12 to 17: Which of the following best describes the way you have discussed the dangers of tobacco use with your child		n = 30
We have talked about the dangers of tobacco use many times We have had at least one conversation that I can remember I don't remember a specific conversation, but my child knows how I feel For now, I have not talked with my child about the dangers of tobacco use	* * *	* * *
Among people with children ages 12 to 17: Have you told your child specifically that you do not want him or her to use tobacco?		n = 29
Yes No	*	*